

Head Office 2 Hovey Rd, Yatala QLD 4207, Australia.

Postal Address: PO Box 6127, Yatala QLD 4207, Australia

Phone: +61 7 3451 0000 Fax: +61 7 3451 0093 Email: customerservice@agrichem.com.au

Safety Data Sheet

Nitro Iron Advance $^{\text{TM}}$ revision SDS 01 3^{rd} March 2017

Nitro Iron Advance IM revision SDS 01 3 rd March 2017	
1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION	
Nitro Iron Advance™	
None	
Plant food, activator and catalyst for professional applicators	
Plant / crop nutrition	
Compounded product, no data available	
Compounded product, no data available	
Liquid fertiliser, for the correction and prevention of plant nutrient deficiencies	
of this Safety Data Sheet	
Agrichem	
2 Hovey Rd Yatala QLD 4207 Australia	
+ 61 7 3451 0000	
Poison Information Centre Australia – 13 11 26	
CATION	
Not listed in SUMP	
This product is classified as Hazardous under GHS / WHS	
Corrosion Category 1	
Warning	
H290 May be corrosive to metals	
P234 Keep only in original container	
P390 Adsorb spillage to prevent materials damage	
P406 Store in corrosive resistant container with a resistant inner liner	
P501 Dispose contents / container in accordance with local / regional & nation	
regulations	
n (Australian) ort of Dangerous Goods by Road and Rail (ADG Code)	
cording to the criteria of the ADG Code for road or rail transport ref ADG Code, re	

3. INFORMATION ON INGREDIENTS Ingredient CAS Registry number Proportion %w/w Ferrous sulphate 7782-63-0 ≥10 - <30</td> Urea 57-13-6 ≥10 - <30</td> Water 732-18-5 ≥10 - <30</td> Manganese sulphate 10034-96-5 <10%</td>

No other ingredients present which to the current knowledge of Agrichem & in the concentrations present are classified as hazardous and thereby require reporting in this chapter.

	asures according to routs of exposure
Swallowed	Rinse mouth with water. Sip a glass of water/milk if possible. Do not Induce vomiting, seek medical advice immediately. Take this SDS with you to the medical examination.
Eye	Immediately wash in and around the eye area with plenty of water for 15 minutes. Eyelids to be held apart. Check for contact lenses, remove if easy to do Seek medical advice if irritation persists
Inhalation	Avoid breathing mist, spray or vapour. If inhaled, remove to fresh air. Should breathing become irregular or stop, apply artificial respiration. Consult a medica doctor immediately.
Skin	Take off contaminated clothing. Rinse skin / hair immediately with plenty of soap and water for several minutes. Seek medical advice if irritation persists. Wash clothing prior to reuse.
Advice to Doctor	Treat symptomatically based on judgement of doctor and individual reactions o patient. If patient has inhaled decomposition products (fire) symptoms may be delayed. Exposed person to remain under medical observation for 48 hours.
Medical Conditions Aggravated by Exposure	No Data Available
Have the product container treatment.	or label with you when calling the Poison Information Centre or a doctor or going fo

5. FIRE FIGHTING MEASURES	
General measures	Clear area of all non-emergency personnel. Stay upwind. Keep out of low areas. Eliminate ignition sources. Move fire exposed containers from fire area if it can be done without risk.
Flammability conditions	Non-flammable, aqueous solution.
Extinguishing Media	Use any means suitable for extinguishing surrounding fire.
Fire and Explosion Hazard	Containers if heated, resultant increase in pressure may cause container to burst. Do not inhale fumes and or gases of combustion.
Hazardous Products of Combustion	No Data Available
Special Fire Fighting Instructions	Do NOT allow fire fighting water to reach waterways, drains or sewers. Store fire fighting water for treatment.
Personal Protective Equipment	Fire fighters should wear a positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots and gloves).
Flash point	No data available
Lower Explosion Limit	No data available
Upper Explosion Limit	No data available
Auto ignition Temperature	No data available
Hazchem Code	No data available

6. ACCIDENTAL RELEASE MEASURES	
General Response Procedures	Avoid accidents, clean up immediately. Slippery when spilt. Increase ventilation. Avoid generating dust from dried product. Stop leak if safe to do so. Isolate the danger area.

Clean up Procedures	Land spill: Dike spill with absorbent or impervious materials such as earth, sand or clay. Vacuum, shovel, pump or sweep up the product and place in containers for disposal in accordance with applicable local regulations. Avoid contamination of water bodies during clean up and disposal. See containment section below.
	Spillage into water. Where possible, remove any intact containers from the water. Advice to local water authority that none of the affected water should be used for irrigation or for the abstraction of potable water until natural dilution returns water to normal environmental background levels.
Containment	Stop Leak if safe to do so. Isolate the danger area. Dike and absorb spill using inert absorbent materials such as earth, sand, clay, zeolite, or diatomaceous earth.
Environmental Precautionary Measures	DO NOT let product reach drains or waterways. If product does enter a waterway, advise the Environmental Protection Authority and local Waste Management. The product is soluble in water (see section 12)
Evacuation Criteria	Evacuate all unnecessary personal from immediate area
Personal Precautionary Measures	Personal involved in the clean-up should wear protective clothing as listed in section 8.

7. HANDLING AN	ND STORAGE
Handling	Prevent against physical damage. Wash hands after handling this material. Good housekeeping, splash and dust (when product dries) prevention procedures should be followed to minimize exposure and accumulation. Ensure an eye bath and safety shower are available and ready for use. Observe good personal hygiene practices and recommended procedures. Avoid contact with eyes, skin and clothing. Do not inhale product mist, spray or fumes
Storage	Store in a cool, dry, well-ventilated area. Keep containers tightly closed if not in use. Inspect regularly for hazards such as damage or leaks. Protect against physical damage. Store away from incompatible materials as listed in section 10. Do not store with food stuffs. Use good housekeeping practices to prevent accumulation of product and follow sound cleaning techniques that will prevent contamination. Dry indoor storage is recommended. Provide appropriate ventilation and store containers such as to prevent any accidental damage.
Container / tankage	Store in original packaging as approved by manufacturer

8. EXPOSURE CONTROLS / PERSONAL PROTECTION	
General	No specific exposure standards has been established for this product by Safe Work Australia
Exposure Limits	No Data Available. However all atmospheric contamination should be keep to as low a level as is workable
Biological limits	No information on biological limit values available for this product.
Engineering Measures	A system of local and or general exhaust is recommended to keep employee exposure as low as possible. Local exhaust extraction / ventilation is preferred as it controls emissions at the source preventing dispersion of the general work area. Adequate ventilation should be provided so that exposure limits are not exceeded.
Personal Protection Equipment PPE	
	RESPIRATOR: Respirators should be used for conditions of use where exposure to spray or mist is apparent and engineering controls are not feasible.

	EYES: Use chemical safety goggles. Maintain eye wash fountain and quick drench facilities in work area (AS1336/1337). An emergency eyewash or water supply should be readily accessible to the work area.
	HANDS: Gloves, chemical resistant (AS2161).
	CLOTHING: Lab coat, apron or coveralls and safety footwear (AS3765/2210).
Work Hygienic practices	Thoroughly wash hands, forearms and face after using product, prior to eating, smoking using toilet or at end of work period. Contaminated clothing to be laundered prior to re-use

Physical state	Liquid
Appearance	Solution
Odour	Slight, characteristic
Colour	Brown to black
рН	2.0 – 3.0
Vapour pressure	No Data Available
Relative Vapour Density	No Data Available
Boiling point	>100 degrees Celsius
Melting point	No Data Available
Freezing point	No Data Available
Solubility in water	Soluble in water (aqueous solution)
Specific gravity (kg/l)	1.29 – 1.31
Flash point	No Data Available
Auto Ignition Tem	No Data Available
Decomposition temp	No Data Available
Molecular weight	No Data Available
Particle size	Solution product, no significant particles present
Particle size distribution	Solution product, no significant particles present
Viscosity	< 100 centipoise

10. STABILITY AND REACTIVITY	
General Information	This product is stable under normal handling and storage conditions.
Chemical Stability	Stable under ordinary conditions.
Conditions to Avoid	Excessive heat, do not store near heat or flames or temperatures below 5 deg C.
Materials to Avoid	 Strong bases Strong oxidising agents – may decompose Metals – corrosive to most
Hazardous Products of Decomposition	No Data Available
Hazardous Polymerisation	No Data Available

11. TOXICOLOGICAL INFORMATION	
General Information	Exposure by all routes should be minimised under good product stewardship.
Eye Irritant	No Data Available
Ingestion	LD50 via ATE 4210 mg/kg May cause diarrhoea, nausea, vomiting, cramps, weakness and tiredness
Inhalation	No Data Available
Skin Irritant	No Data Available
Reproduction	No Data Available
Carcinogen Category	No Data Available
Mutagenicity	No Data Available
Information on toxicological	effects by ingredients where available

Ferrous sulphate	Oral LD ₅₀ 1520 mg/kg in the mouse
Urea	Oral LD50 11000 mg/kg in the mouse
Manganese sulphate	Oral LD50 1484 mg/kg rat, (manganese dichloride tetrahydrat)

12. ECOLOGICAL INFORMATION	
General Ecotoxicity	Adopt good working practices and procedures to restrict environmental release.
Algal toxicity	No Data Available
Invertebrate toxicity	No Data Available
Vertebrate toxicity	No Data Available
Persistence/ Degradability	Readily consumed in plants to support growth
Mobility	Highly soluble in water
Environmental Fate	Do NOT let product reach waterways, drains and sewers
Bioaccumulation	Low, as all elements in product are essential to plant life
Environmental impact	No Data Available
Information on ecological effects by ingredients where available	
Urea	Toxicity threshold: Entosiphon sulcatum (protozoa) >29 mg/l, toxic effect: inhibitior cell multiplication.

13. DISPOSAL CONSIDERATIONS	
General Information	Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.
Special Precautions for Landfill	Small quantities of this product can usually be disposed of at Liquid Waste Disposal sites. No special disposal treatment is required, but local authorities should be consulted about any specific local requirements. Larger volumes of this product are not recommended to be sent to Liquid Waste Disposal sites. Such product should, if possible, be used for an appropriate application.

14. TRANSPORTATION INFORMATION			
Land Transport, Australian Dangerous Goods Code (ADG Code) for transport by road and rail.			
DG classification	Not a Dangerous goods as per ADG Code		
Proper Shipping Name	Calcium nitrate liquid		
Class	Compounded product, no data available		
EPG	Compounded product, no data available		
UN Number	Compounded product, no data available		
Packaging group	Compounded product, no data available		

15. REGULATORY INFORMATION	
General information	Not a Dangerous goods under ADG Code
Poisons Schedule	Not listed in SUMP
Hazardous Chemical Information system (HCIS)	Not listed in HCIS

16. OTHER INFORMATION

The information contained in this SDS is by way of general comment only. Because conditions of use, suitability of product and application conditions are beyond the control of Agrichem, this SDS does not offer any advice in respect to any product. The authors and Agrichem hereby disclaim any liability to any person, property, or thing in respect of any consequence of anything done or omitted to be done by any person in reliance, whether wholly or in part, upon whole or part of the contents of this SDS.

KEY

< Less than

> Greater than

a.i. Active ingredient

ADG Code Australian dangerous goods

AICS Australian Inventory of Chemical Substances

ATE Acute toxicity extimation

atm Atmosphere

CAS Chemical Abstract Service (registry number)

Cm² Square Centimetres

CO2 Carbon Dioxide

deg C (°C) Degrees Celsius

EPA Environmental Protection Agency based in each state of Australia

g Grams

g/cm3 Grams per Cubic Centimetre

g/I Grams per Litre

GRAS Generally recognised as safe

HSIS Hazardous substances information system

HSNO Hazardous substances and New Organism

HDPE High density polypropylene

IDLH Immediately Dangerous to Life and Health

Immiscible Liquid are insoluble in each other

inHg inch of Mercury

InH20 Inch of Water

K Kelvin

kg Kilogram

kg/m³ Kilogram per Cubic Metre

LC₅₀ LC stands for lethal concentration, LC₅₀ is the concentration of a product in air that will cause the death of 50% of a population of test animals. Product is normally inhaled for between 1 and more typically 4 hours LD₅₀ LD stands for lethal dose. LD₅₀ is the amount of product given in a single dose, causing death in 50% of a population of test animals.

End of SDS

LDLo The lowest amount of a solid or liquid material reported to have caused the death of animals or humans

m³ Cubic Metre

mbar Millibar

mg Milligram

mg/24H Milligrams per 24 hours

mg/kg Milligrams per Kilogram

mg/m³ Milligrams per Cubic Metre

Misc or Miscible Liquids from one

homogeneous liquid phase regardless of the amount of either component present

mm Millimetre

mmH₂O Millimetres of Water

mPa.s Millipascals per Second

MSHA Mine safety and health

administration

N/A Not Applicable

NIOSH National Institute for Occupational

Safety and Health

NOHSC National Occupational Health and Safety Commission

OECD Office for Economic Co-operation

and Development

PEL Permissible Exposure Limit

Pa Pascal

ppb Parts per Billion

PPE personal protective equipment

ppm Parts per Million

ppm/2h Parts per million per 2 hours

ppm/6h Parts per million per 6 hours

psi Pounds per square inch

R Rankine

RCP Reciprocal Calculation Procedure

SCBA Self Contained Breathing Apparatus

SWA Safe Work Australia

STEL Short Term Exposure Limit

SUSMP Standard for the uniform scheduling

of medicines and poisons

TVL Threshold Limit Value

TWA Time Weighted Average

UN United Nations

wt Weight