

# EXTREME GREEN<sup>®</sup> 16

**A SUPERIOR QUALITY  
FERROUS SULFATE HEPTAHYDRATE**

## GUARANTEED ANALYSIS:

Sulfur (S) .....	12.0%
0.5% Free Sulfur	
11.5% Combined Sulfur	
Iron (Fe) .....	16.0%
15.0% Water Soluble Iron	
1.0% Water Insoluble Iron	
Manganese (Mn) .....	4.0%

**Derived from:** Ferrous Sulfate Heptahydrate.



**KEEP OUT OF REACH OF CHILDREN**

**DANGER**



**HARMFUL IF SWALLOWED.**

**CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.**

## PRECAUTIONARY STATEMENTS

Do not breathe dust / mist / spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Specific treatment see First Aid section on this label.

## Personal Protective Equipment

Wear protective gloves / protective clothing / eye protection / face protection. Wash contaminated clothing before reuse.

## FIRST AID

Immediately call a poison center / doctor.

**If Swallowed:** Call a poison center / doctor if you feel unwell. Rinse mouth. Do NOT induce vomiting.

**If On Skin (Or Hair):** Take off immediately all contaminated clothing. Rinse skin with water / shower.

**If Inhaled:** Remove person to fresh air and keep comfortable for breathing.

**If In Eyes:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

## STORAGE AND DISPOSAL

**Storage:** Store locked up.

**Disposal:** Dispose of contents / container in accordance with local / regional / national regulations.

## DIRECTIONS FOR USE:

Application rates should be based on tissue or petiole analysis. On plants with waxy leaf surfaces, 12 ounces (355 mL) of a non-ionic wetting agent per 100 gallons (380 L) of finished spray will aid leaf penetration. Add Extreme Green 16 to half of the water, then agitate while adding remaining water. Add urea or other fertilizers. Add herbicides last while continuing to agitate tank contents.

Apply Extreme Green 16 at a rate of 0.125 - 0.5 lbs. (2-8 ounces-dry weight) per 1,000 ft<sup>2</sup> (5.5 - 22 lbs. / Acre). Apply every 2 - 8 weeks based on desired color response.

Spray solution as soon as possible. Extreme Green 16 tank mixes are generally stable; however, agitate prior to spraying if mix has been standing for over 24 hours. Use sufficient water for good coverage. For optimum results, do not apply water for at least 4 hours following application. Do not apply to flower buds or blossoms of flowers, shrubs and trees.

## COMPATIBILITY WITH OTHER MATERIALS:

Extreme Green 16 is most effective when plants are growing rapidly and is least effective when plants are dormant or suffering from stress. Extreme Green 16 is compatible with most pesticides and fertilizers, with the exception of amineformulation herbicides and high phosphate fertilizers. Do not use in tank mix with high phosphate fertilizers. Tank mixes with amines should not be attempted unless adequate agitation exists. Do not pre-mix Extreme Green 16 with any high-pH herbicides without performing a jar test.

Information regarding the contents and levels of metals in this product is available on the Internet at: <http://www.regulatory-info-jr.com>.

Warning: This product contains a chemical known to the State of California to cause cancer, birth defects or other reproductive harm. Proposition 65, the Safe Drinking Water and Toxic Enforcement Act of 1986, requires notification of potential exposure to substances identified by the State of California as causing cancer, birth defects or other reproductive harm.

Extreme Green<sup>®</sup>, ColorPack<sup>®</sup> and Simplot<sup>®</sup> are registered trademarks of the J.R. Simplot Company.

**Net Weight: 50 LBS (22.68 Kg)**

1234850L GHS version: 15118