



[Print Product Label](#) | [Close window](#)

N: 46.0%

| | | | |
|----------------------|------|---------|------------|
| Nitrogen | (N) | as Urea | 46.0% w/w |
| Equiv. Crude Protein | (-) | Minimum | 287.5% w/w |
| Biuret | (-) | Maximum | 1.4% w/w |
| Fluorine | (F) | Maximum | 100mg/kg |
| Cadmium | (Cd) | Maximum | 1mg/kg |
| Lead | (Pb) | Maximum | 1mg/kg |
| Mercury | (Hg) | Maximum | 0.2mg/kg |

Product Information

It is generally recommended that fertiliser not be stored in silos. If it is necessary to store this fertiliser in a silo, it should be for a short period of time, i.e. temporary storage immediately prior to use. Refer Incitec Pivot "Guidance Notes for Storing Fertilisers in Silos" for more details on silo design, management and safety.

DIRECTIONS FOR USE: A concentrated nitrogen fertiliser. Mainly used for pre-plant application in grain crops, and for side or top-dressing pasture and forage crops, grain, cotton, vegetables and sugarcane. Also used in tree and vine crops. If surface-applied without incorporation, best results are achieved if applied before rain or irrigating. Urea can also be applied in irrigation water, and as a foliar spray. This product is not recommended for repeated foliar application on annual or perennial horticultural crops.

This product may be used in stockfeed supplements for ruminants. Cattle should be introduced to urea slowly, feeding 15 g/day initially, and increasing it by this amount weekly, until a rate of 60 g/day is reached. Urea is poisonous if fed in excessive quantities, or too quickly. Plentiful roughage should be available. Do not feed urea to starving stock.

Should this product not meet your expectations, please contact your fertiliser supplier before use. Before using fertiliser or livestock supplements, seek appropriate agronomic and/or animal husbandry advice. Fertiliser may burn and/or damage pasture and crops. Fertiliser and supplements may affect animal health. Because climatic and soil conditions, application methods, irrigation, agricultural and livestock management practices are beyond the control of Incitec Pivot Limited and cannot be foreseen, Incitec Pivot Limited accepts no responsibility whatsoever for any commercial damage, loss or other result following the use of this product whether used in accordance with directions or not, subject to any overriding statutory provision and provided that such liability under those provisions shall be limited to the replacement of the goods as supplied or the rendering again of the services that are provided. The buyer accepts and uses this product subject to these conditions.

SAFETY DIRECTIONS: Avoid ingestion and inhaling product. Avoid contact with the eyes and skin. Wash hands after use.

CARE OF EQUIPMENT: This product can be corrosive to metals. Clean equipment after use, and follow manufacturer`s maintenance advice.

CONTACT INFORMATION

Incitec Pivot Limited
70 Southbank Blvd,
Southbank 3006

[Print Product Label](#) | [Close window](#)

