



# SAFETY DATA SHEET

## BRUSHWET

Infosafe No.: X01EA

Version No.: 1.0

ISSUED Date : 29/07/2021

ISSUED by: SST AUSTRALIA PTY LTD

### Section 1 - Identification

---

**Product Identifier**

BRUSHWET

**Company Product Codes / Numbers / Unique Identifiers**

140010536

**Company Name**

SST AUSTRALIA PTY LTD

**Address**

Level 3, 35 Cotham Road, Kew, Victoria 3101

Australia

**Telephone/Fax Number**

Telephone: 03 9720 6306 Fax number: 03 9720 6407

**Emergency Phone Number**

1800 638 556

**E-mail Address**

compliance@axieo.com

**Recommended use of the chemical and restrictions on use**

A tank mix adjuvant to improve wetting and spreading of pesticides.

### Section 2 - Hazard(s) Identification

---

**GHS classification of the substance/mixture**

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) including Work, Health and Safety Regulations, Australia.

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)

Acute toxicity: Category 4 - Dermal

Acute toxicity: Category 4 - Inhalation

Eye Damage/Irritation: Category 2

Hazardous to the Aquatic Environment - Long-Term Hazard: Category 2

**Signal Word (s)**

WARNING

**Hazard Statement (s)**

H312 Harmful in contact with skin.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H411 Toxic to aquatic life with long lasting effects.

**Pictogram (s)**

Exclamation mark, Environment



**Precautionary Statement – Prevention**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

**Precautionary Statement – Response**

P391 Collect spillage.

P312 Call a POISON CENTER/doctor if you feel unwell.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P302+P352 IF ON SKIN: Wash with plenty of water.

P362+P364 Take off contaminated clothing and wash it before reuse.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

**Precautionary Statement – Disposal**

P501 Dispose of contents/container to an approved waste disposal plant.

**Section 3 - Composition and Information on Ingredients****Ingredients**

Name	CAS	Proportion
Oxirane, methyl-, polymer with oxirane, mono[3- [1, 3, 3, 3-tetramethyl- ]-(trimethylsilyl)oxy]disiloxanyl]propyl] ether (9CI)	134180- 76- 0	> = 75- <= 100 %

**Section 4 - First Aid Measures****Inhalation**

If inhaled, remove affected person from contaminated area. Apply artificial respiration if not breathing. Seek medical attention.

**Ingestion**

Do not induce vomiting. Wash out mouth thoroughly with water. Seek immediate medical attention.

**Skin**

Remove all contaminated clothing immediately. Wash affected area thoroughly with soap and water. Wash contaminated clothing before reuse or discard. Seek medical attention.

**Eye**

If in eyes, hold eyelids apart and flush the eyes continuously with running water. Remove contact lenses. Continue flushing for several minutes until all contaminants are washed out completely. Seek medical attention.

**First Aid Facilities**

Eyewash, safety shower and normal washroom facilities.

**Advice to Doctor**

Treat symptomatically.

**Other Information**

For advice in an emergency, contact a Poisons Information Centre or a doctor at once. (131 126)

**Section 5 - Firefighting Measures****Suitable Extinguishing Media**

Carbon dioxide, dry chemical, foam, water mist or water spray. Alcohol resistant foam is preferred. If not available normal foam can be used.

**Unsuitable Extinguishing Media**

Do not use water jet.

**Hazards from Combustion Products**

Under fire conditions this product may emit toxic and/or irritating fumes, smoke and gases including silicon dioxide, carbon monoxide, carbon dioxide and oxides of nitrogen.

**Specific hazards arising from the chemical**

This product will burn if exposed to fire.

**Hazchem Code**

•3Z

**Decomposition Temperature**

Not available

**Precautions in connection with Fire**

Fire fighters should wear Self-Contained Breathing Apparatus (SCBA) operated in positive pressure mode and full protective clothing to prevent exposure to vapours or fumes. Water spray may be used to cool down heat-exposed containers. Fight fire from safe location. This product should be prevented from entering drains and watercourses.

---

**Section 6 - Accidental Release Measures**

---

**Emergency Procedures**

Wear appropriate personal protective equipment and clothing to prevent exposure. Extinguish or remove all sources of ignition and stop leak if safe to do so. Increase ventilation. Evacuate all unprotected personnel. If possible contain the spill. Place inert absorbent, non-combustible material onto spillage. Use clean non-sparking tools to collect the material and place into suitable labelled containers for subsequent recycling or disposal. Dispose of waste according to the applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations.

---

**Section 7 - Handling and Storage**

---

**Precautions for Safe Handling**

Avoid inhalation of vapours and mists, and skin or eye contact. Use only in a well ventilated area. Keep containers sealed when not in use. Prevent the build up of mists or vapours in the work atmosphere. Do not use near ignition sources. Do not pressurise, cut, heat or weld containers as they may contain hazardous residues. Maintain high standards of personal hygiene i.e. washing hands prior to eating, drinking, smoking or using toilet facilities.

**Conditions for safe storage, including any incompatibilities**

Store in a cool, dry, well-ventilated area away from sources of ignition, foodstuffs, clothing and incompatible materials such as oxidising agents. Keep containers closed when not in use, securely sealed and protected against physical damage. Inspect regularly for deficiencies such as damage or leaks. Have appropriate fire extinguishers available in and near the storage area. Take precautions against static electricity discharges. Use proper grounding procedures. Ensure that storage conditions comply with applicable local and national regulations.

For information on the design of the storeroom, reference should be made to Australian Standard AS1940 - The storage and handling of flammable and combustible liquids.

**Storage Regulations**

Classified as a Class C2 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in accordance with the requirements of AS1940 2017.

---

**Section 8 - Exposure Controls and Personal Protection**

---

**Occupational exposure limit values**

No Exposure Limit Established

**Biological Monitoring**

No biological limits allocated.

**Control Banding**

Not available

**Engineering Controls**

This substance is hazardous and should be used with a local exhaust ventilation system, drawing vapours away from workers' breathing zone. A flame-proof exhaust ventilation system is required. If the engineering controls are not sufficient to maintain concentrations of vapours/mists below the exposure standards, suitable respiratory protection must be worn. Refer to relevant regulations for further information concerning ventilation requirements.

**Respiratory Protection**

If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable vapor/mist filter should be used. Refer to relevant regulations for further information concerning respiratory protective requirements.

In case of formation of vapours/aerosols:

Short term: filter apparatus, combination filter A-P2

Reference should be made to Australian Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.

**Eye and Face Protection**

Safety glasses with side shields, chemical goggles or full-face shield as appropriate should be used. Final choice of appropriate eye/face protection will vary according to individual circumstances. Eye protection devices should conform to relevant regulations. Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 (series) - Eye Protectors for Industrial Applications.

**Hand Protection**

Wear gloves of impervious material:

Nitrile (NBR)

Minimum break-through time of the glove: 480min

Glove strength: 0.11 mm

Natural latex

Minimum break-through time of the glove: 480min

Glove strength: 0.5 mm

Chloroprene (CR, e.g. Neoprene)

Minimum break-through time of the glove: 480min

Glove strength: 0.65 mm

Butyl (IIR)

Minimum break-through time of the glove: 480min

Glove strength: 0.7 mm

Final choice of appropriate gloves will vary according to individual circumstances i.e. methods of handling or according to risk assessments undertaken. Occupational protective gloves should conform to relevant regulations.

Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.

**Thermal Hazards**

No further relevant information available.

**Body Protection**

Suitable protective workwear, e.g. cotton overalls buttoned at neck and wrist is recommended. Chemical resistant apron is recommended where large quantities are handled.

**Section 9 - Physical and Chemical Properties**

Properties	Description	Properties	Description
Form	Liquid	Appearance	Light yellow liquid
Colour	Light yellow	Odour	Characteristic
Melting Point	Not available	Boiling Point	Not available
Decomposition Temperature	Not available	Solubility in Water	Soluble
pH	6-8 (40 g/l water) (25 °C)	Vapour Pressure	Not available
Relative Vapour Density (Air=1)	Not available	Evaporation Rate	Not available
Odour Threshold	Not available	Viscosity	Refer to Section 9: Kinematic Viscosity and Dynamic Viscosity
Volatile Component	Not available	Partition Coefficient: n-octanol/water (log value)	Not available
Density	1.01 g/cm <sup>3</sup> (25 °C) (approximate)	Flash Point	102 °C (DIN EN 22719 (DIN 51758))
Flammability	Not flammable	Auto-Ignition Temperature	Not available
Flammable Limits - Lower	Not available	Flammable Limits - Upper	Not available
Explosion Properties	Not available	Oxidising Properties	Not available
Kinematic Viscosity	Not available	Dynamic Viscosity	40-90 mPa.s (25 °C) Method: DIN 53019

**Section 10 - Stability and Reactivity****Reactivity**

Refer to Section 10: Possibility of hazardous reactions

**Chemical Stability**

Stable under normal conditions of storage and handling.

**Possibility of hazardous reactions**

Reacts with incompatible materials.

**Conditions to Avoid**

Heat, open flames and other sources of ignition.

**Incompatible Materials**

Strong oxidising agents.

**Hazardous Decomposition Products**

Thermal decomposition may result in the release of toxic and/or irritating fumes including: silicon dioxide, carbon monoxide and carbon dioxide.

**Hazardous Polymerization**

Not available

## Section 11 - Toxicological Information

---

**Toxicology Information**

Toxicity data for material given below.

**Acute Toxicity - Oral**

LD50 (rat): 3200 mg/kg

**Acute Toxicity - Dermal**

LD50 (rabbit): 1550 mg/kg

LD50 (rat): >2000 mg/kg

**Acute Toxicity - Inhalation**

LC50 (rat): 1.08 mg/l/4h

Test atmosphere: dust/mist

Method: OECD 403

Source: Untersuchungsbericht/Evonik Goldschmidt GmbH

**Ingestion**

Ingestion of this product may irritate the gastric tract causing nausea and vomiting.

**Inhalation**

Harmful if inhaled. Inhalation of product vapours can cause irritation of the nose, throat and respiratory system.

**Skin**

Harmful in contact with skin. Product can be absorbed through skin with resultant harmful systemic effects.

**Eye**

Causes serious eye irritation. On eye contact this product will cause tearing, stinging, blurred vision, and redness.

Eye irritation/corrosion

Species: rabbit

Result: strong irritant

**Respiratory Sensitisation**

Not expected to be a respiratory sensitiser.

**Skin Sensitisation**

Not expected to be a skin sensitiser.

Species: guinea pig

Result: did not cause sensitization on laboratory animals; non-sensitizing.

**Germ Cell Mutagenicity**

Not considered to be a mutagenic hazard.

**Carcinogenicity**

Not considered to be a carcinogenic hazard.

**Reproductive Toxicity**

Not considered to be toxic to reproduction.

**STOT - Single Exposure**

Not expected to cause toxicity to a specific target organ.

**STOT - Repeated Exposure**

Not expected to cause toxicity to a specific target organ.

**Aspiration Hazard**

Not expected to be an aspiration hazard.

## Section 12 - Ecological Information

---

**Ecotoxicity**

Toxic to aquatic life with long lasting effects.

**Persistence and degradability**

Not available

**Mobility**

Not available

**Bioaccumulative Potential**

Not available

**Other Adverse Effects**

Not available

**Environmental Protection**

Do not discharge this material into waterways, drains and sewers.

**Acute Toxicity - Fish**

LC50 (Rainbow trout): 2.1 mg/l/96h

**Acute Toxicity - Daphnia**

EC50 (Daphnia magna): 1.1 mg/l/48h

**Acute Toxicity - Algae**

EbC50 (Scenedesmus subspicatus): 28.2 mg/l/72h (refer to biomass)

ErC50 (Scenedesmus subspicatus): 152.2 mg/l/72h (growth rate)

**Hazardous to the Ozone Layer**

This product is not expected to deplete the ozone layer.

## Section 13 - Disposal Considerations

---

**Disposal Considerations**

Dispose of waste according to applicable local and national regulations. Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes including emptied containers are controlled wastes and should be disposed of in accordance with all applicable local and national regulations.

To minimise personal exposure, refer to Section 8 - Exposure controls and personal protection.

## Section 14 - Transport Information

---

**Transport Information**

This material is classified as Dangerous Goods Class 9 Miscellaneous Dangerous Goods

Class 9: Miscellaneous substances Dangerous Goods are incompatible in a placard load with any of the following:

Class 1: Explosives (when the class 9 substance is a fire risk substance)

Division 5.1: Oxidising substances (when the class 9 substance is a fire risk substance) and

Division 5.2: Organic peroxides (when the class 9 substance is a fire risk substance)

Note: Special Provision AU01:

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to this Code when transported by road or rail in:

packagings that do not incorporate a receptacle exceeding 500 kg(L); or

IBCs

**ADG U.N. Number**

3082

**ADG Proper Shipping Name**

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. - (Oxirane, methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-]-[(trimethylsilyl)oxy]disiloxanyl]propyl] ether (9CI))

**ADG Transport Hazard Class**

9

**ADG Packing Group**

III

**Hazchem Code**

•3Z

**IERG Number**

47

**Special Precautions for User**

Not available

**IATA UN Number**

3082

**IATA Proper Shipping Name**

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. - (Oxirane, methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-]-[(trimethylsilyl)oxy]disiloxanyl]propyl] ether (9CI))

**IATA/ICAO Symbol**

Miscellaneous Dangerous Goods

**IATA Transport Hazard Class**

9

**IATA Packing Group**

III

**IMDG UN Number**

3082

**IMDG Proper Shipping Name**

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. - (Oxirane, methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-]-[(trimethylsilyl)oxy]disiloxanyl]propyl] ether (9CI))(Oxirane, methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-]-[(trimethylsilyl)oxy]disiloxanyl]propyl] ether (9CI)) MARINE POLLUTANT

**IMDG Transport Hazard Class**

9

**IMDG Packing Group**

III

**IMDG EMS**

F-A,S-F

**IMDG Marine pollutant**

Yes

**Transport in Bulk**

Not available

## Section 15 - Regulatory Information

---

**Regulatory Information**

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) including Work, Health and Safety Regulations, Australia.

Not classified as a Scheduled Poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

**Poisons Schedule**

Not Scheduled

**Australia (AICS/AIIC)**

All components of this product are listed on the Inventory or exempted.

**Montreal Protocol**

Not Listed

**Stockholm Convention**

Not Listed

**Rotterdam Convention**

Not Listed

**International Convention for the Prevention of Pollution from Ships (MARPOL)**

Not available

**Agricultural and Veterinary Chemicals Act 1994**

Not applicable

**Basel Convention**

Not Listed

## Section 16 - Any Other Relevant Information

---

**Date of Preparation**

SDS Reviewed: July 2021, Supersedes: July 2016

**Literature References**

Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice.  
Standard for the Uniform Scheduling of Medicines and Poisons.

Australian Code for the Transport of Dangerous Goods by Road & Rail.

Work Health and Safety Regulations, Schedule 10: Prohibited carcinogens, restricted carcinogens and restricted hazardous chemicals.

Code of Practice for Supply Diversion into Illicit Drug Manufacture.

National Code of Practice for Chemicals of Security Concern.

Agricultural Compounds and Veterinary Chemicals Act.

International Agency for Research on Cancer (IARC) Monographs.

Montreal Protocol on Substances that Deplete the Ozone Layer.

Stockholm Convention on Persistent Organic Pollutants (POPs).

Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade.

Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and Their Disposal.

International Air Transport Association (IATA) Dangerous Goods Regulations.

International Maritime Dangerous Goods (IMDG) Code.

Workplace exposure standards for airborne contaminants.

Adopted biological exposure determinants, American Conference of Industrial Hygienists (ACGIH).

Globally Harmonised System of Classification and Labelling of Chemicals.

Code of Practice: Managing Noise and Preventing Hearing Loss at Work.

#### **Contact Person/Point**

**IMPORTANT ADVICE:** An SDS summarizes our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. The information contained in this SDS is believed to be correct but is not guaranteed. Prior to using the product(s) referred to in this SDS, each user should read this SDS and consider the information in the context of how the product will be handled and used in the workplace, including its use in conjunction with other products. If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact the supplier listed in section 1 of the SDS. Our responsibility for products sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available on request. SST does not accept any other liability either directly or indirectly for any losses suffered in connection with the use and application of the product whether or not in accordance with any advice, specification, recommendation or information given by it.

**SST SDS WARNING:** SST is aware that third parties are distributing documents purporting to be SDSs (or the like) in relation to SST products without any authorisation from SST ("Unauthorised SDS"). SST accepts no responsibility for the distribution of an Unauthorised SDS by a third party or for any information contained therein. All SST products must be used in accordance with the corresponding original and current SDS authorised by SST for use with that SST product ("Authorised SDS"). In the event that an SDS in relation to an SST product has expired and is not marked as obsolete, please contact SST immediately to obtain a current SDS. Further, if an SST product is used without the Authorised SDS and/or with an Unauthorised SDS, or an expired SDS which is not marked obsolete, SST hereby excludes absolutely and to the maximum extent permitted by law all liability whatsoever and howsoever arising under contract, tort (including negligence) or otherwise for all loss and/or damage including, but not limited to, for personal injury, sickness or death, damage to real property and/or chattels and all indirect and consequential loss (including loss of profits).

---

---

## **END OF SDS**

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

The compilation of SDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any SDS displayed is permitted for personal use only and otherwise is not permitted. In particular the SDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of SDS without the express written consent of Chemical Safety International Pty Ltd.

Jurisdiction: Au ghs

Language: English