CAUTION

KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING OR USING



HERBICIDE

ACTIVE CONSTITUENTS: 300 g/L MCPA present as the potassium salt 20 g/L CLOPYRALID present as the potassium salt 15 g/L DIFLUFENICAN



For the control of certain broadleaf weeds in turf as specified in the Directions for Use.

IMPORTANT: READ THE ATTACHED LEAFLET BEFORE OPENING OR USING THIS PRODUCT



Indigo Specialty Products Pty Ltd ABN 15 631 459 660 Unit 3 / 2 Ant Road Yatala Qld 4207 Ph: 0402 725 887

Contents

Warhead Trio

STORAGE AND DISPOSAL

Store in the closed, original container in a dry, cool, well-ventilated area out of direct sunlight. Triple rinse containers before disposal. Add rinsings to the spray tank. Do not dispose of undiluted chemicals on-site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulation. Do not burn empty containers or product.

SAFETY DIRECTIONS

Harmful if swallowed. Will damage eyes. Will irritate skin. Avoid contact with eyes and skin. If product in eyes, wash it out immediately with water. Wash hands after use. When opening the container, preparing the spray and using the prepared spray wear cotton overalls buttoned to the neck and wrist, washable hat, elbow-length PVC gloves and goggles. After each day's use wash gloves, goggles and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126, New Zealand 0800 764 766.

SDS

Additional information is listed in the material safety data sheet (SDS). A safety data sheet for ProForce WARHEAD TRIO Herbicide is available from Indigo Specialty Products Pty Ltd on request.

NOTICE TO BUYER:

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. No warranty (other than non-excludable statutory warranties) of merchantability or fitness for a particular purpose, express or implied, extends to the use of product contrary to label instructions, or under off-label permits not endorsed by Indigo Specialty Products Pty Ltd or under abnormal conditions. Indigo Specialty Products Pty Ltd accepts no liability for any loss or damage arising from incorrect storage, handling or use.





10L

Batch No.

Date of Manufacture

APVMA Approval No.: 70225 /121709

IN A TRANSPORT

EMERGENCY

arhead Trio

HERBICIDE

DIRECTIONS FOR USE

RESTRAINTS

DO NOT apply if weeds or turf are under stress or when frosts are imminent. **DO NOT** use if rain is expected within 4 hours. **DO NOT** use clippings as mulch around other plants or for composting. **DO NOT** use on bent grass or winter grass golf and bowling greens.

SITUATION	WEEDS CONTROLLED	RATE	CRITICAL COMMENTS
Turf	Broadleaf weeds including; White Clover (<i>Trifolium repens</i>) Plantain (<i>Plantago lanceolata</i>) Capeweed (<i>Arctotheca calendula</i>) Cat's ear (<i>Hypochoeris radicata</i>) Bin-dii (Jo-Jo, Onehunga) (<i>Soliva sessilis</i>) Cudweed (<i>Gnaphalium spp.</i>) Creeping oxalis (<i>Oxalis corniculata</i>)	5 L in 200-500 L water/ha	Apply to actively growing weeds. Transient discolouration may occur on kikuyu and carpet grass and Queensland blue couch. Varietal differences in certain buffalo grasses (eg. ST85) may produce more pronounced effects and it is recommended that small areas be tested for turf safety before large-scale application occurs. Avoid exceeding application rates through overlapping sprayed areas. Use a surfactant for difficult to wet weeds.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION

WITHHOLDING PERIOD:

DO NOT GRAZE TREATED TURF OR FEED TURF CLIPPINGS FROM ANY TREATED AREA TO POULTRY OR LIVESTOCK

GENERAL INSTRUCTIONS

For best results the turf and weeds should be actively growing at the time of treatment. Complete weed death may take up to 6 weeks. Faster results can be expected on smaller weeds. Due to residual effects of diflufenican, overseeding treated areas within 3 months of application may inhibit establishment of the turf grass.

Pourability: If cold temperature environments (less than 5°C) are encountered during product preparation for application, the product will be difficult to pour. Should this be the case, it is recommended to shake or stir the contents of the product container for about 5 minutes prior to use.

Mixing: Shake original container before use. Agitate continuously to ensure thorough mixing before and during application. Only mix sufficient chemical for each day's work. Surfactants (if used) should be added after WARHEAD TRIO and water are mixed when the sprav-tank is almost full

Mowing: Avoid mowing during the 3 to 4 days preceding or following treatment.

Cleaning Spray Equipment: THOROUGHLY CLEAN ALL APPLICATION EQUIPMENT AFTER USE.

Rinse water should be discharged onto a designated disposal area or if unavailable onto unused land away from desirable plants and watercourses.

Partial Cleaning (before spraying tolerant turf): After using WARHEAD TRIO, empty the tank completely and drain the whole system. Thoroughly wash inside the tank with a pressure hose. Quarter fill the tank with clean water and circulate through the pump, line, hoses and nozzles. Drain and repeat procedure twice.

Complete cleaning (before spraying susceptible plants): After using WARHEAD TRIO empty the tank completely and drain the whole system. Thoroughly wash inside the tank with a pressure hose. Quarter fill the tank with clean water and circulate through the pump. line, hoses and nozzles, then drain. Quarter fill the tank again and add an alkaline detergent at 500 mL/100 L water and circulate through the system for at least 15 minutes. Drain, remove filters and nozzles and clean separately. Rinse inside the tank thoroughly using a pressure hose and flush system with clean water.

COMPATIBILITY: No information is available that indicates physical compatibility with other products. Tank-mixing other products with WARHEAD TRIO cannot therefore be recommended. As formulations of other manufacturers' products are beyond the control of Indigo Specialty Products Ptv Ltd. all mixtures should be tested prior to mixing commercial quantities.

RESISTANT WEEDS WARNING

ProForce WARHEAD TRIO Herbicide is	GROUP F HERBICIDE
a member of the pyridinecarboxamide,	

phenoxy and pyridine groups of herbicides. WARHEAD TRIO has the inhibitors of carotenoid biosynthesis and disruptor of cell growth modes of action. For weed resistance management, WARHEAD TRIO is a Group F and I herbicide. Some naturally-occurring weed biotypes resistant to WARHEAD TRIO and other Group F and I herbicides may exist through normal genetic variability in any weed population. The resistant individuals can eventually dominate the weed population if these herbicides are used repeatedly. These resistant weeds will not be controlled by WARHEAD TRIO or other Group F and I herbicides. Since the occurrence of resistant weeds is difficult to detect prior to use, Farmalinx Pty Ltd accepts no liability for any losses that may result from the failure of WARHEAD TRIO to control resistant weeds.

PRECAUTION: Manual Handling of Turf: Hand-weeding and transplanting should not be performed before 2 weeks after spray application, unless workers wear overalls (or equivalent clothing) and chemical resistant gloves.

RE-ENTRY STATEMENT: Do not allow entry into treated areas until the spray has dried. When prior entry is necessary wear cotton overalls buttoned to the neck and wrist (or equivalent clothing) and chemical resistant gloves. Clothing must be laundered after each day's use.

PROTECTION OF CROPS. NATIVE AND OTHER NON-TARGET PLANTS

Do NOT apply under weather conditions, or from spraying equipment, that may cause spray to drift onto nearby susceptible plants/crops, cropping lands or pastures. Spray drift from WARHEAD TRIO application may cause injury to herbaceous plants, vegetables, fruit crops, vines, ornamentals and trees.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Dangerous to fish and other aquatic life. Do NOT contaminate streams. rivers or waterways with the chemical or used containers.

STORAGE AND DISPOSAL

(10 L and 20 L only): Store in the closed, original container in a dry. cool, well-ventilated area out of direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to the spray tank. Do not dispose of undiluted chemicals on-site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local. State or Territory government regulation. Do not burn empty containers or product.

SDS

Additional information is listed in the safety data sheet (SDS). A safety data sheet for ProForce WARHEAD TRIO Herbicide is available from Indigo Specialty Products Pty Ltd on request.

NOTICE TO BUYER:

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. No warranty (other than non-excludable statutory warranties) of merchantability or fitness for a particular purpose, express or implied, extends to the use of product contrary to label instructions, or under off-label permits not endorsed by Indigo Specialty Products Pty Ltd or under abnormal conditions. Indigo Specialty Products Pty Ltd accepts no liability for any loss or damage arising from incorrect storage, handling or use.



Indigo Speciality Products ABN 15 631 459 660 Unit 3 / 2 Ant Road, Yatala Qld 4207 Ph: 0402 725 887

APVMA Approval No.: 70225 /121709

Refillable containers (1000 L only): Store in the closed, original container in a cool, well-ventilated area. DO NOT store for prolonged periods in direct sunlight. Empty contents fully into application equipment. Close all valves and return to point of supply for refill or storage. This container remains the property of Indigo Specialty Products Ptv Ltd.

Envirodrums (100, 110, 120, 200 L only): Mini Bulk Returnable Container: Store the original sealed Envirodrum in a cool well ventilated area. DO NOT store for prolonged periods in direct sunlight. DO NOT tamper with the Micro Matic valve or the security seal. DO NOT contaminate the Envirodrum with water or any foreign matter. After each use of the product, please ensure that the Micro Matic coupler delivery system and hoses are disconnected, triple rinsed with clean water and drained accordingly. When the contents of the Envirodrum have been used, please return the empty Envirodrum to the point of purchase. The Envirodrum remains the property of Indigo Specialty Products Ptv Ltd.

SAFETY DIRECTIONS

Harmful if swallowed. Will damage eves. Will irritate skin. Avoid contact with eves and skin. If product in eves, wash it out immediately with water. Wash hands after use. When opening the container, preparing the spray and using the prepared spray wear cotton overalls buttoned to the neck and wrist, washable hat, elbow-length PVC gloves and goggles. After each day's use wash gloves, goggles and contaminated clothing.

FIRST AID

AUTION

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126



CONTAINER. READ MPORTANT: THIS LEAFLET IS PART OF THE LABEL ATTACHED TO THE Thoroughly before opening or using this product. Specialty Products Pty Ltd 631 459 660

veeds in turf as specified in the Directions for Use.

^cor the control of certain broadleaf

GROUP

ABN 15 ndigo)