



1. Identification

Product identifier	Indigo Red Spray Marl	king Dye
Other means of identification Product code Recommended use Recommended restrictions	51005 Agricultural/ Horticultura Refer to product label.	al Use- Dye- refer to product label
Manufacturer/Importer/Supplier/I Manufacturer		
Company name Address	Indigo Specialty Produc 3/49 Donaldson Road, Rocklea Qld, 4106	ts
Telephone Website E-mail Contact person Emergency phone number	+61 402 735 887 indigospecialty.com.au orders@indigospecialty Peter Kirby 13 11 26	.com 1-

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2A
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	
Label elements		



	\mathbf{v}
Signal word	Warning
Hazard statement	Causes skin irritation. Causes serious eye irritation.
Precautionary statement	
Prevention	Wash thoroughly after handling. Wear eye protection/face protection. Wear protective gloves.
Response	If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.
Storage	Store away from incompatible materials.
Disposal	Dispose of waste and residues in accordance with local authority requirements.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%		
Acetic Acid		64-19-7	20 - < 30		
Other components below repor	rtable levels		70 - < 80		
4. First-aid measures					
nhalation	Move to fresh air. Call a physician if symptoms develop or persist.				
Skin contact	Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.				
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.				
ngestion	Rinse mouth. Get medical attention if symptor				
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain.				
ndication of immediate nedical attention and special reatment needed	Provide general supportive measures and trea Symptoms may be delayed.	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.			
General information	Ensure that medical personnel are aware of the protect themselves.	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.			
5. Fire-fighting measures					
Suitable extinguishing media	Alcohol resistant foam. Powder. Carbon dioxid	de (CO2).			
Jnsuitable extinguishing nedia	Do not use water jet as an extinguisher, as thi	Do not use water jet as an extinguisher, as this will spread the fire.			
Specific hazards arising from he chemical	During fire, gases hazardous to health may be formed.				
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.				
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.				
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.				
General fire hazards	No unusual fire or explosion hazards noted.				
6. Accidental release mea	sures				
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged conta or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilatio Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.		h damaged container dequate ventilation.		
Methods and materials for	Use water spray to reduce vapors or divert va	por cloud drift.			
containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.				
	Small Spills: Wipe up with absorbent material remove residual contamination.	(e.g. cloth, fleece). Clean sur	face thoroughly to		
Environmental precautions	Never return spills to original containers for re Avoid discharge into drains, water courses or	-	section 13 of the SD		
7. Handling and storage					
Precautions for safe handling	Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.				
Conditions for safe storage,	Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).				

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Limits Components	for Air Contaminants (29 CFR 1910.1000) Type	Value	
Acetic Acid (CAS 64-19-7)	PEL	25 mg/m3	
		10 ppm	
US. ACGIH Threshold Limit	Values		
Components	Туре	Value	
Acetic Acid (CAS 64-19-7)	STEL	15 ppm	
	TWA	10 ppm	
US. NIOSH: Pocket Guide to	Chemical Hazards		
Components	Туре	Value	
Acetic Acid (CAS 64-19-7)	STEL	37 mg/m3	
		15 ppm	
	TWA	25 mg/m3	
		10 ppm	
ological limit values	No biological exposure limits noted for the ing	redient(s).	
opropriate engineering ntrols	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.		
dividual protection measures, Eye/face protection	such as personal protective equipment Wear safety glasses with side shields (or gog	gles). Face shield is recommended.	
Skin protection Hand protection	Wear appropriate chemical resistant gloves.		
Other	Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.		
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.		
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.		
eneral hygiene onsiderations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.		
Physical and chemical	properties		
opearance	Liquid. Clear.		
Physical state	Liquid.		
Form	Liquid.		
Color	Red Clear.		
dor	Slight. Vinegar		
dor threshold	Not available.		
1	3.2		
elting point/freezing point	Not available.		
itial boiling point and boiling nge	Not available.		
ash point	Not available.		
vaporation rate	Not available.		
ammability (solid, gas)	Not applicable.		

Upper/lower flammability or explosive limits

Upper/lower flammability or expl	Iosive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	36 mm Hg at 25 C
Vapor density	> 1
Relative density	1.1 g/cm3 estimated
Solubility(ies)	
Solubility (water)	Soluble
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	8.84 lb/gal
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
Specific gravity	1.1 estimated

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	Causes skin irritation.
Eye contact	Causes serious eye irritation.
Ingestion	Knowledge about health hazard is incomplete.
Symptoms related to the physical, chemical and toxicological characteristics	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain.

Information on toxicological effects

Acute toxicity

Product	Species	Test Results
Brandt Big Foot Red SS		
Acute		
Dermal		
LD50	Rabbit	3846 mg/kg
Inhalation		
LC50	Mouse	20390 ppm, 1 Hours
Oral		
LD50	Rabbit	4354 mg/kg
Matarial name: Indiga Dad Enroy	Marking Dua	

Components	Species		Test Results
Acetic Acid (CAS 64-19-7)			
Acute			
Dermal			
LD50	Rabbit		1060 mg/kg
Inhalation			
LC50	Rat		11.4 mg/l, 4 Hours
Oral			
LD50	Rat		3.31 g/kg
Skin corrosion/irritation	Causes sk	in irritation.	
Serious eye damage/eye irritation	Causes se	rious eye irritation.	
Respiratory or skin sensitization	on		
Respiratory sensitization	-	-	ta the classification is not possible.
Skin sensitization	Due to par	tial or complete lack of da	ta the classification is not possible.
Germ cell mutagenicity	-	-	ta the classification is not possible.
Carcinogenicity	Due to par	tial or complete lack of da	ta the classification is not possible.
IARC Monographs. Overall	Evaluation of	of Carcinogenicity	
Not listed. OSHA Specifically Regulat Not listed. US. National Toxicology Pi Not listed.		-	
Reproductive toxicity	Due to par	tial or complete lack of da	ta the classification is not possible.
Specific target organ toxicity - single exposure			a the classification is not possible.
Specific target organ toxicity - repeated exposure	Due to par	tial or complete lack of da	ta the classification is not possible.
Aspiration hazard	Due to par	tial or complete lack of da	ta the classification is not possible.
Chronic effects	Prolonged	inhalation may be harmfu	l.
12. Ecological informatio	'n		
Ecotoxicity			onmentally hazardous. However, this does not exclude the s can have a harmful or damaging effect on the environment.
Product		Species	Test Results
Indigo Red Spray Marking D	уе		
Aquatic			
Crustacea	EC50	Daphnia	1022.0089 mg/l, 48 hours
Fish	LC50	Fish	447.2045 mg/l, 96 hours
Components		Species	Test Results

Acetic Acid (CAS 64-19-7)				
Aquatic				
Crustacea	EC50	Water flea (Daphnia magna)	65 mg/l, 48 hours	
Fish	LC50	Bluegill (Lepomis macrochirus)	75 mg/l, 96 hours	
Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.			
Bioaccumulative potential				
Partition coefficient n-octa Acetic Acid	nol / water (log	-0.17		
Mobility in soil	No data avai	••••		

Other adverse effects The product contains volatile organic compounds which have a photochemical ozone creation potential.

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Incinerate the material under controlled conditions in an approved incinerator. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	D002: Waste Corrosive material [pH <=2 or =>12.5, or corrosive to steel] The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Acetic Acid (CAS 64-19-7)

Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SAR	RA 3	11/312 Hazardo	ous Yes
-	-		

chemical

```
Classified hazard Skin corrosion or irritation
```

categories Serious eye damage or eye irritation

SARA 313 (TRI reporting) Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated.

(SDWA)

FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

High priority

Acetic Acid (CAS 64-19-7)

US state regulations

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	09-14-2020
Revision date	09-14-2020
Version #	02
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of Manufacturer's knowledge, information and belief at the date of its publication; however, it is provided only as a guidance for safe handling, use, processing, storage, transportation, disposal and release of the Product. No warranties of any kind, either expressed or implied, including warranties of merchantability or fitness for a particular purpose, are made with respect to the Product or the information provided herein, or that the Product or information herein may be used without infringing the intellectual property rights of others. The information provided in this Safety Data Sheet relates only to the specific Product designated and may not be valid if the Product is used in combination with other materials or in any other process, unless specified herein. The user assumes all risk and liability for loss, injury, damage or expense due to any use, handling, storage or disposal of the Product, and Manufacturer recommends that the user conducts its owns tests of the Product to determine suitability of the Product for user's particular use.
Revision information	This document has undergone significant changes and should be reviewed in its entirety.